Nuclear Engineering and Design 134 (1992) 383–384
North-Holland

Author Index to Volume 134

Amick, D., R. Gelinas, D. Moore, E. Billington and G. Maurath, Paleoliquefaction studies along the Atlantic seaboard: Implications for long-term seismic hazard 134 (1992) 295
Ang, A.H.-S., see Schueller, G.I. 134 (1992) 121
Apostolakis, G. and P. Kafka, Advances in probabilistic safety assessment 134 (1992) 141

Bandyopadhyay, K. and C. Hofmayer, Parametric study of relay seismic capacity 134 (1992) 311
Belytschko, T., see Donea, J. 134 (1992) 1
Berg, Ø., see Haugset, K. 134 (1992) 341
Billington, E., see Amick, D. 134 (1992) 295
Billone, M.C., R.O. Montgomery, Y.R. Rashid and J.L. Head, Advancements in the behavioral modeling of fuel elements and related structures 134 (1992) 23
Bjorkelo, K.A., see Scott, W.B. 134 (1992) 257
Bologna, S., see Haugset, K. 134 (1992) 341

Carter, R.J., Human factors survey of advanced instrumentation and controls technologies in nuclear plants 134 (1992) 319
Chang, Y.W., D.T. Eggen, A. Imazu and M. Livolant, Advances in the analysis of fast reactor core and coolant circuit structures 134 (1992) 37
Chockie, A.D., see Scott, W.B. 134 (1992) 257
Christensen, J.A., Managing aging in nuclear power plants 134 (1992) 245
Clauss, D.B., see Parks, M.B. 134 (1992) 177
Corwin, W.R., R.K. Nanstad, S.K. Iskander and F.M. Haggag, Heavy-Section Steel Irradiation Program summary 134 (1992) 227
Crouch, D., see O'Hara, J. 134 (1992) 331
Crutzen, S.J., R.W. Nichols, K. Kussmaul and G. Yagawa, Developments in fracture mechanics and non-destructive examination 134 (1992) 59
Curbach, M., see Stevenson, J.D. 134 (1992) 87

Daye, M.A., see Stevenson, J.D. 134 (1992) 87
Donea, J. and T. Belytschko, Advances in computational mechanics 134 (1992) 1

Eggen, D.T., see Chang, Y.W. 134 (1992) 37
Eibl, J., see Stevenson, J.D. 134 (1992) 87
Enderlin, W.I., see Scott, W.B. 134 (1992) 257

Førdestrømmen, N.T., see Haugset, K. 134 (1992) 341

Gelinas, R., see Amick, D. 134 (1992) 295
Gorman, J.A., see Shah, V.N. 134 (1992) 199
Grieger, G., Advances in the mechanical and thermal design of fusion reactors 134 (1992) 109

Hackett, E.M. and J.A. Joyce, Use of *J–R* curves in assessing the fracture behavior of low upper shelf toughness materials 134 (1992) 217
Haggag, F.M., see Corwin, W.R. 134 (1992) 227
Haugset, K., Ø. Berg, S. Bologna, N.T. Førdestrømmen, J. Kvalem, W.R. Nelson and N. Yamane, Improving safety through an integrated approach for advanced control room development 134 (1992) 341
Haynes, H.D., Evaluation of check valve monitoring methods 134 (1992) 283
Head, J.L., see Billone, M.C. 134 (1992) 23
Higgins, J., see O'Hara, J. 134 (1992) 331
Hofmayer, C., see Bandyopadhyay, K. 134 (1992) 311

Imazu, A., see Chang, Y.W. 134 (1992) 37
Iskander, S.K., see Corwin, W.R. 134 (1992) 227
Iyengar, K.T.S., see Stevenson, J.D. 134 (1992) 87

Jacobus, M.J., Loss-of-Coolant Accident (LOCA) testing of aged cables with application to nuclear plant life extension 134 (1992) 267
Johnson, T.E., see Stevenson, J.D. 134 (1992) 87
Joyce, J.A., see Hackett, E.M. 134 (1992) 217

Kafka, P., see Apostolakis, G. 134 (1992) 141
Kim, I.S., see Samanta, P.K. 134 (1992) 355
Knoedler, H.G., A systems engineered approach towards improved safety and performance of valves 134 (1992) 277
Krutzik, N.J., see Stevenson, J.D. 134 (1992) 87
Kussmaul, K., see Crutzen, S.J. 134 (1992) 59
Kvalem, J., see Haugset, K. 134 (1992) 341

Livolant, M., see Chang, Y.W. 134 (1992) 37
Lohnert, G.H., The consequences of water ingress into the primary circuit of an HTR-Module – From design basis accident to hypothetical postulates 134 (1992) 159
Lowenstein, D.B., see Shah, V.N. 134 (1992) 199
Luckas, W., see O'Hara, J. 134 (1992) 331

MacDonald, P.E., see Shah, V.N. 134 (1992) 199
Maurath, G., see Amick, D. 134 (1992) 295
Modeen, D.J. and R.N. Oehlberg, U.S. nuclear industry perspective on accident management 134 (1992) 153
Montgomery, R.O., see Billone, M.C. 134 (1992) 23
Moore, D., see Amick, D. 134 (1992) 295

Nanstad, R.K., see Corwin, W.R. 134 (1992) 227
Nelson, W.R., see Haugset, K. 134 (1992) 341
Nemet, J., see Stevenson, J.D. 134 (1992) 87
Nichols, R.W., see Crutzen, S.J. 134 (1992) 59

Oehlberg, R.N., see Modeen, D.J. 134 (1992) 153
O'Hara, J., J. Higgins, W. Luckas and D. Crouch, The effects of local control station design variation on human performance and plant risk 134 (1992) 331

Parks, M.B. and D.B. Clauss, Performance of containment penetrations under severe accident loadings 134 (1992) 177
Pople, Jr., H.E., see Woods, D.D. 134 (1992) 371

Rashid, Y.R., see Billone, M.C. 134 (1992) 23
Riera, J.D., see Stevenson, J.D. 134 (1992) 87
Roth, E.M., see Woods, D.D. 134 (1992) 371

Samanta, P.K., W.E. Vesely and I.S. Kim, Toward risk-based control of nuclear power plant configurations 134 (1992) 355
Schueller, G.I. and A.H.-S. Ang, Advances in structural reliability 134 (1992) 121
Scott, W.B., W.I. Enderlin, A.D. Chockie and K.A. Bjorkelo, Good practices for effective maintenance to manage aging of nuclear power plants 134 (1992) 257
Shah, V.N., D.B. Lowenstein, A.P.L. Turner, S.R. Ward, J.A. Gorman, P.E. MacDonald and G.H. Weidenhamer, Assessment of primary water stress corrosion cracking of PWR steam generator tubes 134 (1992) 199
Stevenson, J.D., J. Eibl, M. Curbach, T.E. Johnson, M.A. Daye, J.D. Riera, N.J. Krutzik, J. Nemet and K.T.S. Iyengar, Advances in the analysis and design of concrete structures, metal containments and liner plate for extreme loads 134 (1992) 87

Turner, A.P.L., see Shah, V.N. 134 (1992) 199

Vesely, W.E., see Samanta, P.K. 134 (1992) 355

Ward, S.R., see Shah, V.N. 134 (1992) 199
Weidenhamer, G.H., see Shah, V.N. 134 (1992) 199
Woods, D.D., H.E. Pople, Jr. and E.M. Roth, Cognitive environment simulation: a tool for modeling intention formation for human reliability analysis 134 (1992) 371

Yagawa, G., see Crutzen, S.J. 134 (1992) 59
Yamane, N., see Haugset, K. 134 (1992) 341

Nuclear Engineering and Design 134 (1992) 385–386
North-Holland

Subject Index to Volume 134

Thermal and fluid design

Advances in computational mechanics, J. Donea and T. Belytschko 134 (1992) 1
The consequences of water ingress into the primary circuit of an HTR-Module – From design basis accident to hypothetical postulates, G.H. Lohnert 134 (1992) 159

Engineering mechanics

Advances in computational mechanics, J. Donea and T. Belytschko 134 (1992) 1
Developments in fracture mechanics and non-destructive examination, S.J. Crutzen, R.W. Nichols, K. Kussmaul and G. Yagawa 134 (1992) 59
Assessment of primary water stress corrosion cracking of PWR steam generator tubes, V.N. Shah, D.B. Lowenstein, A.P.L. Turner, S.R. Ward, J.A. Gorman, P.E. MacDonald and G.H. Weidenhamer 134 (1992) 199
Use of *J–R* curves in assessing the fracture behavior of low upper shelf toughness materials, E.M. Hackett and J.A. Joyce 134 (1992) 217

Materials properties

Use of *J–R* curves in assessing the fracture behavior of low upper shelf toughness materials, E.M. Hackett and J.A. Joyce 134 (1992) 217
Heavy-Section Steel Irradiation Program summary, W.R. Corwin, R.K. Nanstad, S.K. Iskander and F.M. Haggag 134 (1992) 227

Mechanical design, component fabrication and testing

Developments in fracture mechanics and non-destructive examination, S.J. Crutzen, R.W. Nichols, K. Kussmaul and G. Yagawa 134 (1992) 59
Advances in the analysis and design of concrete structures, metal containments and liner plate for extreme loads, J.D. Stevenson, J. Eibl, M. Curbach, T.E. Johnson, M.A. Daye, J.D. Riera, N.J. Krutzik, J. Nemet and K.T.S. Iyengar 134 (1992) 87
Assessment of primary water stress corrosion cracking of PWR steam generator tubes, V.N. Shah, D.B. Lowenstein, A.P.L. Turner, S.R. Ward, J.A. Gorman, P.E. MacDonald and G.H. Weidenhamer 134 (1992) 199
Managing aging in nuclear power plants, J.A. Christensen 134 (1992) 245

Reactor concepts and systems analysis

Advances in the analysis of fast reactor core and coolant circuit structures, Y.W. Chang, D.T. Eggen, A. Imazu and M. Livolant 134 (1992) 37
Advances in the mechanical and thermal design of fusion reactors, G. Grieger 134 (1992) 109
Advances in structural reliability, G.I. Schueller and A.H.-S. Ang 134 (1992) 121
Advances in probabilistic safety assessment, G. Apostolakis and P. Kafka 134 (1992) 141
A systems engineered approach towards improved safety and performance of valves, H.G. Knoedler 134 (1992) 277
Paleoliquefaction studies along the Atlantic seaboard: Implications for long-term seismic hazard, D. Amick, R. Gelinas, D. Moore, E. Billington and G. Maurath 134 (1992) 295
Cognitive environment simulation: a tool for modeling intention formation for human reliability analysis, D.D. Woods, H.E. Pople, Jr. and E.M. Roth 134 (1992) 371
Toward risk-based control of nuclear power plant configurations, P.K. Samanta, W.E. Vesely and I.S. Kim 134 (1992) 355

Structural design, construction methods and testing

Advances in the analysis and design of concrete structures, metal containments and liner plate for extreme loads, J.D. Stevenson, J. Eibl, M. Curbach, T.E. Johnson, M.A. Daye, J.D. Riera, N.J. Krutzik, J. Nemet and K.T.S. Iyengar 134 (1992) 87

Radiation shielding

Performance of containment penetrations under severe accident loadings, M.B. Parks and D.B. Clauss 134 (1992) 177

Miscellaneous

Good practices for effective maintenance to manage aging of nuclear power plants, W.B. Scott, W.I. Enderlin, A.D. Chockie and K.A. Bjorkelo 134 (1992) 257
A systems engineered approach towards improved safety and performance of valves, H.G. Knoedler 134 (1992) 277
Paleoliquefaction studies along the Atlantic seaboard: Implications for long-term seismic hazard, D. Amick, R. Gelinas, D. Moore, E. Billington and G. Maurath 134 (1992) 295
Parametric study of relay seismic capacity, K. Bandyopadhyay and C. Hofmayer 134 (1992) 311

System control and controls

Loss-of-Coolant Accident (LOCA) testing of aged cables with application to nuclear plant life extension, M.J. Jacobus 134 (1992) 267
Evaluation of check valve monitoring methods, H.D. Haynes 134 (1992) 283
Human factors survey of advanced instrumentation and controls technologies in nuclear plants, R.J. Carter 134 (1992) 319
The effects of local control station design variation on human performance and plant risk, J. O'Hara, J. Higgins, W. Luckas and D. Crouch 134 (1992) 331
Improving safety through an integrated approach for advanced control room development, K. Haugset, Ø. Berg, S. Bologna, N.T. Førdestrømmen, J. Kvalem, W.R. Nelson and N. Yamane 134 (1992) 341

Core physics and fuel design

Advancements in the behavioral modeling of fuel elements and related structures, M.C. Billone, R.O. Montgomery, Y.R. Rashid and J.L. Head 134 (1992) 23

Nuclear safety

Advances in the analysis of fast reactor core and coolant circuit structures, Y.W. Chang, D.T. Eggen, A. Imazu and M. Livolant 134 (1992) 37
U.S. nuclear industry perspective on accident management, D.J. Modeen and R.N. Oehlberg 134 (1992) 153
The consequences of water ingress into the primary circuit of an HTR-Module – From design basis accident to hypothetical postulates, G.H. Lohnert 134 (1992) 159
Performance of containment penetrations under severe accident loadings, M.B. Parks and D.B. Clauss 134 (1992) 177
Managing aging in nuclear power plants, J.A. Christensen 134 (1992) 245